


Mobile compactors

roll on, roll off container

 Container Pressen | Schneckenverdichter | Ballenpressen | Umlade- und Verschiebeanlagen | Hub-Kippvorrichtungen
Compactors | Auger Compactors | Balers | Transfer and Shifting Stations | Bin Lifters



Mobile compactors

roll on, roll off container

Versatile and effective

PRESTO mobile compactors can be used wherever large quantities of recycling material, residual waste or commercial waste similar to domestic waste are generated.

A compactor that is firmly connected with the container compacts the material. The feeding opening is especially low to facilitate feeding the PRESTO mobile compactors.

Easy and safe

Reliable function and user-friendliness go without saying for all PRESTO products, not only in operation, but also in terms of integration into the working environment.

The use of a PRESTO mobile compactors does not require any special construction work. An electrical power supply is all that is necessary for putting it into service.



Carefree disposal

The reuse of recycling material or disposal of waste is an important task in the business activities of many companies.

Our long-standing experience in environmental technology and our most modern development and production methods allow us to manufacture products which our customers use as a functional and cost-efficient link in the chain of recycling material compaction and disposal.

Tailored for customer needs







Wherever all kinds of materials are generated and need to be disposed PRESTO mobile compactors can be used.

A large choice of accessories allows us to meet all customer-specific requirements.

We develop your individual optimum solution for your disposal problem.

Talk to us !

Features and benefits

-  The particularly low feeding opening and the foldable hook offer maximum feeding comfort.
-  The conical shape ensures easy emptying.
-  The rib-free structure offers you large advertising space.
-  The optimum location of the polyamide guide elements makes for low-maintenance operation.
-  The central locking system is operated from one side, so the emptying hatch can be opened safely and quickly.
-  The large cleaning door allows comfortable access for service and cleaning.



Guaranteed powerful performance

The bent corner profiles ensure particular stability and the elegant rounded corner design. The robust, continuously welded steel construction prevents rust creep.


High-quality components ensure reliable function, low maintenance and quiet operation < 70 dB (A).

Handling is easy, a foundation is not required, and the unit can be put into service immediately.

Of course our paints are lead and chromium free, and you can select the colour of your choice.

for your **pressing** issues

Mobile compactors
roll on, roll off container



		HG 16 R	HG 20 R	HG 22 R	HG 24 R	HGS 16 R	HGS 18 R	HGS 20 R	HGS 24 R
Content	m³	16	20	22	24	16	18	20	24
Length (L)	mm	5450	6100	6550	7000	5900	6280	6600	7500
Width (B)	mm	2420	2420	2420	2420	2420	2420	2420	2420
Height (H)	mm	2600	2600	2600	2600	2600	2600	2600	2600
Dimension A	mm	1350	1350	1350	1350	1350	1350	1350	1350
Feeding opening	mm	1000 x 1800	1000 x 1800	1000 x 1800	1000 x 1800	1470 x 1800	1470 x 1800	1470 x 1800	1470 x 1800
Stroke length	mm	1260	1260	1260	1260	1690	1690	1690	1690
Plunger surface area (h x b / height x width)	mm	545 x 1800	545 x 1800	545 x 1800	545 x 1800	545 x 1800	545 x 1800	545 x 1800	545 x 1800
Feeding volume, max.	m³	1,7	1,7	1,7	1,7	2,6	2,6	2,6	2,6
Dist. container end to locking trunnion (V)	mm	3250	3580	3810	3860	3510	3720	3830	4110
Stroke volume	m³	0,9	0,9	0,9	0,9	1,4	1,4	1,4	1,4
Compaction force	kN	300	300	300	300	300	300	300	300
Specific Compaction force	kN/m²	310	310	310	310	310	310	310	310
Cycle time	S	36	36	36	36	50	50	50	50
Machine weight	kg	4500	4850	5000	5150	4550	4750	4950	5250
Motor power rating	kW	5,5	5,5	5,5	5,5	5,5	5,5	5,5	5,5
Electrical power supply		3 L / N / PE; 400 V, 50 Hz							

Subject to technical modifications without notice

PRESTO GmbH & Co. KG

Gewerbepark 4 | D-49196 Bad Laer

Fon +49 5424 2927-0 | Fax +49 5424 2927-90

kontakt@presto.eu | www.presto.eu